

OUTLINE

EXTREME DELPHI RELOADED: TIPS, TRICKS, AND TECHNIQUES

CARY JENSEN, PH.D.

COPYRIGHT 1997-2004. CARY JENSEN. JENSEN DATA SYSTEMS, INC.

ALL RIGHTS RESERVED.

JENSEN DATA SYSTEMS, INC.

HTTP://WWW.JENSEN DATASYSTEMS.COM

PHONE: 281-359-3311

EMAIL: INFO@JENSEN DATASYSTEMS.COM

EXTREME DELPHI RELOADED: TIPS, TRICKS, AND TECHNIQUES

CODE EDITOR SECRETS

GETTING HELP ABOUT KEY MAPPINGS

SELECTED EDITOR KEYSTROKES

Key Macro Recording.....

Block Indent and Unindent.....

Using Bookmarks.....

To-Do List Items As Bookmarks.....

Class Navigation.....

Code Browsing.....

Incremental Search.....

Find Matching Delimiters.....

Column Operations.....

Code Completion.....

Code Parameters.....

Argument Value Lists.....

Code Templates.....

POWER DEBUGGING TECHNIQUES.....

BEFORE YOU BEGIN: SETTING UP THE DEBUGGER.....

Enabling and Disabling the Integrated Debugger.....

Instructing the Debugger to Ignore Particular Exceptions.....

Configuring the Event Log.....

USING BREAKPOINTS

Source Breakpoints.....

Controlling the Debugger at Runtime.....

Address Breakpoints.....

Data Breakpoints.....

Module Load Breakpoints.....

USING PROGRAM RESET

ASSERTIONS

Using Assertions.....

Enabling Assertions.....

RUN TO RETURN.....

OUTPUTDEBUGSTRING

DEBUGGING WITH HOST APPLICATIONS AND PROJECT GROUPS.....

Debugging DLLs Using the Run Parameters Dialog Box.....

Debugging DLLs Using a Project Group.....

- UNDERSTANDING INTERFACES**
- WHAT IS AN INTERFACE?
- WHY INTERFACES ?
- DECLARING AN INTERFACE
- IMPLEMENTING INTERFACES
- INTERFACES AND METHOD RESOLUTION.....
- INTERFACE IMPLEMENTATION BY DELEGATION
- Comments on Interface Implementation by Delegation*
- SYNTAX SLEIGHT-OF-HAND**
- DYNAMIC ARRAYS.....
- FUNCTION OVERLOADING
- DEFAULT PARAMETERS.....
- USING THE RESOURCESTRING RESERVED WORD
- ACCESSING DLLS-BASED ROUTINES USING INTERFACES
- TRICKING THE COMPILER INTO TREATING UNRELATED OBJECTS POLYMORPHICALLY
- USING DOT NOTATION TO ACCESS A PARTICULAR SYMBOL
- GOING TO A LABEL
- USING RUNTIME TYPE INFORMATION (RTTI)**
- GETTING RTTI FOR ENUMERATED TYPES
- GETTING OBJECT PROPERTY LISTINGS
- USING RTTI WITH PROPERTIES
- USING COMPILER DIRECTIVES**
- SELECTED COMPILER DIRECTIVES
- Suppressing Hints and Warnings*
- Automatically Compiling Resource Files*
- Controlling Optimizations*
- Setting the Executable File Extension*.....
- Conditional Compilation*
- Standard Conditional Defines*.....
- Inserting Code into a Unit*
- Using Short Strings by Default*
- Constant Expression Evaluation*.....
- CREATING MULTITHREADED APPLICATIONS**.....
- Advantages of Multiple Threads*
- CREATING MULTITHREADED APPLICATIONS
- EXECUTING A THREAD
- TERMINATING A THREAD
- CONTROLLING A THREAD.....
- Thread Priority*.....
- Freeing a Thread*.....
- Suspending and Resuming a Thread*
- The OnTerminate Event Property*
- DEBUGGING THREADS
- THE THREAD STATUS WINDOW
- THREADS AND DATA.....
- Private Thread Fields*.....
- Thread-Local Variables*.....
- Local Variables*
- THREAD SYNCHRONIZATION**.....

- SYNCHRONIZATION OPTIONS**
 - USING SYNCHRONIZE
 - Comments About Synchronize.....*
 - SYNCHRONIZING WITH CRITICAL SECTIONS
 - Using a Critical Section*
 - COMMENTS ABOUT CRITICAL SECTIONS.....
 - USING WAITFOR
 - Using WaitFor when Closing an Application.....*
 - Comments About WaitFor*
 - USING TEVENTS
 - Comments About TEvents.....*
 - USING MUTEXES
 - Preventing Two Instances of an Application.....*
 - Comments About Mutexes.....*
 - USING SEMAPHORES
 - A Simple Semaphore Example*
 - A Semaphore with Multiple Locks.....*
- CONTROLLING OTHER PROCESSES**
 - DETECTING OTHER APPLICATIONS
 - LAUNCHING ANOTHER APPLICATION
 - Launching an Application and Waiting.....*
- USING APPLICATION VERSIONING.....**
 - ADDING VERSION INFORMATION TO YOUR DELPHI PROJECT
 - ACCESSING VERSION INFORMATION USING THE EXPLORER.....
 - GETTING VERSION INFORMATION PROGRAMMATICALLY.....
 - A VERSION-AWARE ABOUTBOX TEMPLATE
- CREATING EDITOR KEY BINDINGS**
 - OVERVIEW OF KEY BINDINGS
 - DECLARING THE KEY BINDING CLASS.....
 - IMPLEMENTING THE IOTAKEYBOARDBINDINGS INTERFACE
 - IMPLEMENTING TKEYBINDINGPROC METHODS
 - DECLARING AND IMPLEMENTING THE REGISTER PROCEDURE.....
 - CREATING AND INSTALLING A NEW DESIGN-TIME PACKAGE
- PERSISTING INFORMATION: INI FILES AND THE WINDOWS REGISTRY**
 - INI FILES
 - USING THE WINDOWS REGISTRY
 - Using The TRegIniFile Class.....*
 - USING THE TREGISTRY CLASS
 - A PRACTICAL COMPONENT: TMRULIST
 - The TMRUList Constructor and Destructor.....*
 - Overriding the Loaded Method.....*
 - Managing Event Handlers for MRUList Items*
- OTHER GOODIES**
 - CREATING OBJECTS FROM STRING REFERENCES
 - PREVENTING MULTIPLE INSTANCES OF AN APPLICATION
 - TRICKING A WINDOW DRAG OPERATION.....
 - ADDING WALLPAPER TO A FORM
 - THE SPEED OF STREAMS
 - GETTING SHORT FILE NAMES AND PATH NAMES
 - RESTRICTING THE MOUSE CURSOR.....

LAUNCHING CONTROL PANEL APPLETS
LOADING A WEB SITE FROM A DELPHI APPLICATION
CREATING A TEMPLATE PROCESSOR.....

Borland, the Borland Logo, and Delphi are trademarks or registered trademarks of Borland Software Corporation in the United States and other countries. Other product and company names mentioned herein may be the trademarks of their respective owners

For more information about training, consulting, mentoring or development, please contact Jensen Data Systems, Inc. by phone at 281-359-3311 or by email at info@JensenDataSystems.com.